

Batch mixer second hand 250 litres



Description

- Mobile.
- Motor-driven tilting system,
- Emptying flap, pneumatic
- Motor-driven high frequency knife head installed in the cleaning door
- Mixing tool: motor-driven mixing arm, sense of rotation right or left.
- Dosing pump for adding liquids.

The mixing tank is tiltable. When placed in horizontal position it can be lowered for filling in. Mixing is carried out with the mixing tank in horizontal or inclined position.

Position of mixing tank for discharging: lifted up and inclined. Mixing arm and knife head discharge the mix through the flap (Discharging height: approx. 1 m.

Cleaning is possible with compressed air or water.

Technical Specification:

Material:	Stainless steel DIN 1.4401 / AISI 316
Year of construction:	2002
Weight	approx. 500 kg
Dimensions	Length 2600 mm x width 1200 mm x H 1210 mm
Volume	250 litre
Usable volume	approx. 120 - 150 litres
Power Supply:	16 A, protection IP 65
	Compressed air: 6-10 bar
Control cabinet mounted onto the mixer	



Filling opening

Mixing tank


Cleaning door

Oil recipient for greasing the bearing of the knife head

Emptying flap, pneumatic

Drive to knife head

Mobile frame



Emptying flap

Protection of drive of mixing shaft.



Control cabinet, mounted onto the mixer




Filling opening

Mixing tank

Drive to pump for liquids

Protection of drive of mixing shaft.



Mixing arm (cleaning door open)

Knife head